



# De-oxidising gel IF 930

INTERFLUX®  
ELECTRONICS N.V.



Technical data IF 930

Ver: 1, 14 okt. 09

Page 1

## De-oxidising gel for wettable solder nozzles

### Description:

The Interflux® **IF 930 de-oxidising** gel is designed to remove oxides from wettable solder nozzles of selective soldering equipment.

IF **930** is applied to the selective soldering nozzle and by purging the solder through the nozzle the oxides are washed off.

IF **930** is succeeding the IF 920



### Applying the product

For best results the **IF 930** should be applied directly from the syringe through a metal needle into the wettable solder nozzle.

Let the IF 930 work for a few seconds before purging the wettable nozzle with solder.

### Physical and chemical properties:

Specific density	: 1.20 g/ml ± 0.1
Colour	: White / yellow
Odour	: mild
pH	: 3
Viscosity	: 250.000 cps
Solubility in water	: insoluble

### More information:

Packaging

P.2

### Key advantages:

- Easy applicable
- Efficient cleaning action
- Environmental friendly formulation



## Packaging:

IF 930 is available in the following packages:

<b>Package</b>	<b>Product code</b>
5cc syringe	RP930SB
10cc syringe	RP930SC
30cc syringe	RP930SD

D i s c l a i m e r

Because we cannot anticipate or control the many different conditions under which this information and our products may be used, we do not guarantee the applicability or the accuracy of this information or the suitability of our products in any given situation. Users of our products should make their own test to determine the suitability of each such product for their particular purposes. The product discussed is sold without such warranty, either express or implied.

Copyright:

**INTERFLUX**<sup>®</sup> ELECTRONICS

For the latest version of this document please consult:

[www.interflux.com](http://www.interflux.com)